



Energy saving
Save money on cooling bills



High visible light transmission

Minimal darkening effect



35 years of experience

One of the longest-operating distributors in the industry



Heat protection
Reduces radiant heat



Uniform temperature
Hot and cool spots are levelled off



Efficient

High performance even on advanced glazings



Spectrally selective

Visible light is transmitted, IR is rejected



Manufacturer


Hanita Coatings RCA, Israel



UV protection

Protects your health and your valuables


Energy saving on various window systems



low-e







Save energy with window films!

	Single pane	Dual pane	Dual pane low-e	Triple pane low-e
Total Solar Energy Rejected	53%	60%	66%	69%
Visible Light Transmitted	67%	62%	59%	54%
Visible Light Reflected Exterior	18%	22%	20%	24%
Visible Light Reflected Interior	17%	22%	19%	24%
Total Solar Energy Reflected	30%	31%	31%	33%
Total Solar Energy Absorbed	33%	35%	40%	42%
Total Solar Energy Transmitted	37%	34%	29%	25%
SHGC	0,47	0,40	0,34	0,31
UV Rejection	99%	99%	99%	99%
U-Value	5,92	2,72	1,42	1,20
Emissivity	0,84	0,84	0,84	0,84
Compatibility	Compatible	Compatible	Compatible	Compatible



Interior/exterior

Exterior



Thickness 50 microns

00 1111010110



AdhesivePressure sensitive





Sizes available

1,52×30 m



Warranty

7 years on vertical windows 3 years on sloped windows